

Beispiele aus Literatur 2011- 2021

- Ragha, L. & Mishra, Seema & Seema, & Ramachandhran, Venkataraman & Bhatia, Manmohan. (2011). Effects of Low-Power Microwave Fields on Seed Germination and Growth Rate. *Journal of Electromagnetic Analysis and Applications* Impact factor 0.54. 3.
- Singh HP, Sharma VP, Batish DR, Kohli RK. (2011) Cell phone electromagnetic field radiations affect rhizogenesis through impairment of biochemical processes. *Environ. Monit. Assess.* 184(4): 1813 - 1821
- Jayasanka, Hiranya & Asaeda, Takashi. (2013). The significance of microwaves in the environment and its effect on plants. *Environ Rev.* 22. 1-9.
- Soran ML, Stan M, Niinemets Ü, Copolovici L. Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants. *J Plant Physiol.* 2014 Sep 15;171(15):1436-43.
- Halgamuge MN, Yak SK, Eberhardt JL (2015) Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station. *Bioelectromagnetics.* 36(2): 87 - 95
- Roux D, Catrain A, Lallechere S, Joly JC (2015) Sunflower Exposed to High-intensity Microwave-frequency Electromagnetic Field: Electrophysiological Response Requires a Mechanical Injury to Initiate. *Plant Signal Behav.* 10(1) e972787
- Abu-Elsaoud, Abdelghafar. (2015). Effect of Microwave Electromagnetic Radiofrequency on Germination and Seedling Growth Consequences of Six Wheat *Triticum Aestivum* Cultivar. *Advances in Environmental Biology.* 9. 270-280.
- Soran, Maria-Loredana & Stan, Manuela & Lung, Ildiko & Truşcă, M.. (2016). Microwave Field Effect on Polyphenolic Compounds from Aromatic Plants. *Journal of Sustainable Development of Energy, Water and Environment Systems.* 4. 48-55. 10.13044/j.sdewes.2016.04.0005.
- Al-Kathiri, F. & Al-Raisi, K. & Al-Hinai, K. & Al-Droushi, M. & Khan, Mumtaz & Nadir, Zia. (2016). Impact of RF electromagnetic field on cucumber and tomato plants. 1-6. 10.1109/IEMCON.2016.7746234.
- Kumar A, Singh HP, Batish DR, Kaur S, Kohli RK (2016) EMF radiations (1800 MHz)-inhibited early seedling growth of maize (*Zea mays*) involves alterations in starch and sucrose metabolism. *Protoplasma.* 253(4): 1043 – 1049
- Grémiaux A, Girard S, Guérin V, Lothier J, Baluška F, Davies E, Bonnet P, Vian A (2016) Low-amplitude, high-frequency electromagnetic field exposure causes delayed and reduced growth in *Rosa hybrida*. *J Plant Physiol.* 190: 44 – 53
- Vian A, Davies E, Gendraud M, Bonnet P. Plant Responses to High Frequency Electromagnetic Fields. *Biomed Res Int.* 2016;2016:1830262.
- Lung I, Soran ML, Opriş O, Truşcă MRC, Niinemets Ü, Copolovici L. Induction of stress volatiles and changes in essential oil content and composition upon microwave exposure in the aromatic plant *Ocimum basilicum*. *Sci Total Environ.* 2016 Nov 1;569-570:489-495. doi: 10.1016/j.scitotenv.2016.06.147. Epub 2016 Jun 27. PMID: 27362630.
- Aikaterina L. Stefi, Lukas H. Margaritis, Nikolaos S. Christodoulakis, The effect of the non ionizing radiation on cultivated plants of *Arabidopsis thaliana* (Col.), *Flora*, Volume 223, 2016
- Halgamuge MN. Review: Weak radiofrequency radiation exposure from mobile phone radiation on plants. *Electromagn Biol Med.* 2017;36(2):213-235. doi:

Aikaterina L. Stefi, Lukas H. Margaritis, Nikolaos S. Christodoulakis, The effect of the non-ionizing radiation on exposed, laboratory cultivated maize (*Zea mays* L.) plants, *Flora*, Volume 233, 2017, Pages 22-30,

Aikaterina L. Stefi, Lukas H. Margaritis, Nikolaos S. Christodoulakis, The aftermath of long-term exposure to non-ionizing radiation on laboratory cultivated pine plants (*Pinus halepensis* M.), *Flora*, Volume 234, 2017

Aikaterina L. Stefi, Lukas H. Margaritis, Nikolaos S. Christodoulakis, The effect of the non ionizing radiation on exposed, laboratory cultivated upland cotton (*Gossypium hirsutum* L.) plants, *Flora*, Volume 226, 2017, Pages 55-64,

Amuda Dauda Biodun, Funmilayo Grace Oni and Oni Olatunde Michael (2018)
Yield and Nutrient Depletion of Tomatoes by Radio-Frequency Radiation Exposure from Base Transceiver Stations in Ogbomoso, Nigeria

Aikaterina L. Stefi, Dido Vassilacopoulou, Lukas H. Margaritis, Nikolaos S. Christodoulakis, Oxidative stress and an animal neurotransmitter synthesizing enzyme in the leaves of wild growing myrtle after exposure to GSM radiation, *Flora*, Volume 243, 2018, Pages 67-76,

Chandel S, Kaur S, Issa M, Singh HP, Batish DR, Kohli RK (2019). Exposure to mobile phone radiations at 2350 MHz incites cyto- and genotoxic effects in root meristems of *Allium cepa*. *J Environ Health Sci Eng* 17(1): 97-104.

Mildaziene V, Aleknaviciute V, Zukiene R, Pauzaite G, Nauciene Z, Filatova I, Lyushkevich V, Haimi P, Tamosiune I, Baniulis D (2019). Treatment of Common Sunflower (*Helianthus annuus* L.) Seeds with Radio-frequency Electromagnetic Field and Cold Plasma Induces Changes in Seed Phytohormone Balance, Seedling Development and Leaf Protein Expression. *Sci Rep* 9(1): 6437

Chandel S, Kaur S, Issa M, Singh HP, Batish DR, Kohli RK. Exposure to mobile phone radiations at 2350 MHz incites cyto- and genotoxic effects in root meristems of *Allium cepa*. *J Environ Health Sci Eng*. 2019 Jan 5;17(1):97-104. doi:

Chandel S, Kaur S, Issa M, Singh HP, Batish DR, Kohli RK. Appraisal of immediate and late effects of mobile phone radiations at 2100 MHz on mitotic activity and DNA integrity in root meristems of *Allium cepa*. *Protoplasma*. 2019 Sep;256(5):1399-1407.

Stefi, Aikaterina & Mitsigiorgi, Konstantina & Vassilacopoulou, Dido & Christodoulakis, Nikolaos. (2020). Response of young *Nerium oleander* plants to long-term non-ionizing radiation. *Planta*. 251. 10.1007/s00425-020-03405-2.

Kumar A, Kaur S, Chandel S, Singh HP, Batish DR, Kohli RK. Comparative cyto- and genotoxicity of 900 MHz and 1800 MHz electromagnetic field radiations in root meristems of *Allium cepa*. *Ecotoxicol Environ Saf*. 2020 Jan 30;188:109786. doi:

Surducan V, Surducan E, Neamtu C, Mot AC, Ciorîță A. Effects of Long-Term Exposure to Low-Power 915MHz Unmodulated Radiation on *Phaseolus vulgaris* L. *Bioelectromagnetics*. 2020 Apr;41(3):200-212. doi: 10.1002/bem.22253.

Nyakane, Neo & Markus, Elisha & Sedibe, Moosa. (2020). Response of Micro-Organism, Trace Elements and Biological Systems to Typical Magnetic Field Exposure.

Journal of Engineering and Applied Sciences 15 (7): 1868-1875,

Marek Czerwiński, Łukasz Januszkiewicz, Alain Vian, Amparo Lázaro, The influence of bioactive mobile telephony radiation at the level of a plant community – Possible mechanisms and indicators of the effects, *Ecological Indicators*, Volume 108, 2020

M. Iyyanki, P. Jayanthi, D. Singh, S. Tumula and P. Megham, "Poisson and Logistics Regression Analysis on Electromagnetic Field Radiation: A Case of Environmental Pollution," 2020 *International Conference on Communication and Signal Processing (ICCSP)*, Chennai, India, 2020, pp. 1250-1255, doi: 10.1109/ICCSP48568.2020.9182393

Kundu, Ardhendu & Vangaru, Sathish & Bhattacharyya, Somnath & Mallick, Amirul & Gupta, Bhaskar. (2021). Electromagnetic Irradiation Evokes Physiological and Molecular Alterations in Rice. *Bioelectromagnetics*. 42. 10.1002/bem.22319.

Kaur, Sukhmanjit & Vian, Alain & Chandel, Shikha & Singh, Dr H & Batish, Daizy & Kohli, Ravinder. (2021). Sensitivity of plants to high frequency electromagnetic radiation: cellular mechanisms and morphological changes. *Reviews in Environmental Science and Bio/Technology*. 10.1007/s11157-020-09563-9.